

FULL-FEATURED AUDIO

HDX series

The Nureva® HDX series is built for IT teams that need large-room audio that adapts.

HDX combines advanced microphone pickup, full-range speaker output, Adaptive Voice Lift, Adaptive Voice Amplification, assistive listening with *Auracast™* broadcast audio and more – in a single plug and play solution. Everything works together to deliver clear, consistent sound for people in the room and those joining remotely.

IT-friendly setup and management tools are included and no DSP programming is involved. With modular configurations to suit your spaces and needs, HDX keeps everything simple, scalable and sounding great.

[Explore](#)

SPECIFICATIONS

General



Key features

- Full-room mic coverage with unified coverage map
- Continuous autocalibration
- Full-range distributed audio
- Adaptive Voice Lift
- Adaptive Voice Amplification
- Assistive listening with Auracast broadcast audio
- Divisible room automation
- 3D sound location data



Powered by
Microphone Mist™ technology

Interoperability

Plug and play compatibility with UC&C platforms including Microsoft® Teams, Zoom and Google Meet™

Easy integration with third-party solutions including cameras, hubs, lecture capture systems and external audio devices such as wireless microphones (for Adaptive Voice Amplification)

AVoIP enabled (coming soon): Supports advanced audio integrations using AES67 for AVoIP with 2x2 channels on the system to send or receive audio

Operating

Power rating: universal switching
100–240 V AC, 50–60 Hz

Operating power consumption:
up to 115 W

Operating temperature:
0° C to 40° C (32° F to 104° F)

Storage temperature:
-20° C to 60° C (-4° F to 140° F),
humidity 5–90% (noncondensing)

Sustainability

Sustainable design: Ongoing device updates add new features without the need for new hardware

Renewable packaging:
99% paper and pulp

Eco-friendly materials:
35% postconsumer plastics and 100% recyclable low-carbon aluminum

Energy management: Sleep modes that reduce energy consumption by up to 75%

Manageability

The HDX series includes Nureva Console, our cloud-based management platform, and the Nureva App, our intuitive setup app featuring acoustic check. Console Direct provides a continuous and secure connection to Nureva Console.

Console Direct security features:

Secure IoT OS and system software with device-specific X.509 certificates and external services encrypted using 256-bit Transport Layer Security (TLS)

Information security management system (ISMS) that is ISO/IEC 27001:2022 certified

Built with Microsoft Azure, all data at rest is encrypted using 256-bit AES encryption, and data in transit uses TLS 1.2

Auth0 by Okta for all identity and access management (IAM) services with OAuth2 protocols to identify and authorize users

Certifications


Electromagnetic: FCC Part 15, Class A; FCC Part 15.247; ICES-003, Class A; RSS-247; CISPR 32 (EN 55032), Class A; CISPR 35 (EN 55035); EN 300 328; EN 301 489-1

Safety: UL 62368; CAN/CSA-C22.2 NO.62368; IEC/EN 62368

Compliance: RoHS, REACH, POPs (Persistent Organic Pollutants), WEEE, California Proposition 65, EPA (TSCA – Toxic Substances Control Act) Restrictions

SPECIFICATIONS

Audio bar



Microphones

10 low-noise omnidirectional MEMS
Frequency response of 100 Hz to 10 kHz

Speakers

2 x 4" neodymium driver
30 W RMS and 60 W max
1 x 1" teteron dome tweeter
10 W RMS and 20 W max
Frequency range of 120 Hz to 20 kHz
Built-in amplifier and crossover
Vented speaker enclosure for
enhanced low-frequency response

Connections

RJ45 — for connection to system hub

Product dimensions

Width: 10.70" (272 mm)
Height: 36.00" (915 mm)
Depth: 3.93" (100 mm)
Weight: 16.3 lb. (7.4 kg) without bracket
17.4 lb. (7.9 kg) with bracket

Shipping dimensions

Width: 14.25" (362 mm)
Height: 8.74" (222 mm)
Depth: 38.66" (982 mm)
Weight: 22.5 lb. (10.2 kg)

Includes

Audio bar
Mounting bracket
Documentation

Warranty


Audio bar — standard
2-year limited hardware
Accessories and cables — 30 days
Extended warranty available with
purchase of Nureva Pro extension

Part numbers

Black: **HDX-BAR-B**
White: **HDX-BAR-W**
Nureva Pro extension (1 year): **NP-1Y**
Nureva Pro extension (2 years): **NP-2Y**
Nureva Pro extension (3 years): **NP-3Y**

SPECIFICATIONS

Microphone pod



Microphones

10 low-noise omnidirectional MEMS
Frequency response of 100 Hz to 10 kHz

Connections

RJ45 – for connection to system hub

Product dimensions

Width: 6.30" (160 mm)
Height: 16.06" (408 mm)
Depth: 2.35" (60 mm)
Weight: 2.4 lb. (1.1 kg)

Shipping dimensions

Width: 14.96" (380 mm)
Height: 8.66" (220 mm)
Depth: 18.74" (476 mm)
Weight: 7.9 lb. (3.6 kg)

Includes

Microphone pod
Mounting bracket
2 T-bar clips
Documentation

Warranty


Microphone pod –
standard 2-year limited hardware
Accessories and cables – 30 days
Extended warranty available with
purchase of Nureva Pro extension

Part numbers

White: **HDX-POD**
Nureva Pro extension (1 year): **NP-1Y**
Nureva Pro extension (2 years): **NP-2Y**
Nureva Pro extension (3 years): **NP-3Y**

SPECIFICATIONS

System hub



Connections

6 connections to audio bars and microphone pods, RJ45
USB 2.0 interface to computer or collaboration hub, Type-C

Input jack for power supply

2 connections for Console Direct, LAN and AES67 2x2 AVoIP (coming soon), RJ45

4 analog audio input channels, balanced, Euroblock 3.5 mm pitch

2 analog audio output channels, balanced, Euroblock 3.5 mm pitch

Subwoofer connection, balanced, 1/4" jack

Bluetooth® LE technology radio antenna

Integrated Auracast transmitter

Includes

System hub
Mounting bracket
Country-specific power cable
Power supply adapter
USB Type-C cable
USB-C to USB-A adapter
6 Euroblock connectors
Bluetooth antenna
Wireless remote
Documentation

Product dimensions

Width: 14.60" (371 mm)

Height: 4.31" (109 mm) antenna up

1.85" (47 mm) antenna down

Depth: 5.94" (151 mm)

Weight: 4.6 lb. (2.1 kg)

Shipping dimensions

Width: 14.96" (380 mm)

Height: 5.63" (143 mm)

Depth: 22.44" (570 mm)

Weight: 10.4 lb. (4.7 kg)

Warranty

System hub — standard 2-year limited hardware

Accessories and cables — 30 days

Extended warranty available with purchase of Nureva Pro extension


Part numbers

Black: **HDX-HUB**

Nureva Pro extension (1 year): **NP-1Y**

Nureva Pro extension (2 years): **NP-2Y**


Nureva Pro extension (3 years): **NP-3Y**



CHOOSE YOUR SETUP

HDX configurations


The HDX pro audio series comes in five configurations to suit a wide variety of rooms and use cases. All include full-room mic coverage, distributed full-range audio, Adaptive Voice Amplification and divisible room automation. See what other features are included.



2 bar

Up to 30' x 30' (9.1 x 9.1 m)

[Learn more](#)




2 bar + 1 pod

Up to 35' x 40' (10.7 x 12.2 m)

3D sound location data

Enhanced microphone coverage

[Learn more](#)




4 bar

Up to 40' x 60' (12.2 x 18.3 m)

3D sound location data

[Learn more](#)




4 bar + 1 pod

Up to 40' x 60' (12.2 x 18.3 m)

3D sound location data

Enhanced microphone coverage

[Learn more](#)



4 bar + 2 pod

Up to 40' x 60' (12.2 x 18.3 m)

3D sound location data

Enhanced microphone coverage

Adaptive Voice Lift

[Learn more](#)

CONTACT US

Get in touch

Find out more about the HDX series and get help selecting the right option for your space. You can also learn more about our HDL line of audio conferencing products.

Contact us

Connect

Nureva Inc.

sales@nureva.com

1.855.568.7382

© 2026 Nureva Inc. All rights reserved. Nureva, Microphone Mist, the Nureva logo and the Microphone Mist logo are trademarks or registered trademarks of Nureva Inc. in the United States, Canada and other countries. All third-party product and company names are for identification purposes only and may be trademarks of their respective owners. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The Auracast™ word mark and logos are trademarks owned by Bluetooth SIG, Inc. Any use of such marks by Nureva Inc. is under license. 03/26

